Fujitsu recommends Windows 8 Pro.



Data Sheet Fujitsu LIFEBOOK P772 Notebook

The Small Companion to Go

As a frequent traveler, the lightweight but fully-featured Fujitsu LIFEBOOK P772 provides you with the right balance of flexibility and mobility for working on the move. The LIFEBOOK P772 is unique in offering an integrated modular bay in a 30.7 cm (12.1-inch) notebook. The patented bay projector option guarantees you additional presentation convenience on business trips.

Elegant design combined with smallest size

Ultimate mobility for maximum convenience and style on the move.

■ Starting from 1.4 kg, small form factor, attractive glossy black or matt option

Ergonomic Working

Enhanced versatility for ultimate efficiency in the office or on business trips.

- Anti-glare display, 16:10 aspect ratio, DisplayPort, ScrollWheel, Full HD webcam and port replicator
- Anytime USB Charge to charge phones/media devices even when the system is switched off

Maximum security

Protect your valuable company data against unauthorized third-party access.

 Optional SmartCard reader, Advanced Theft Protection (Intel® Anti Theft & Computrace®), optional TPM module and optional fingerprint sensor

Reliable Companion

Secure and effective working even for the most demanding users in all situations.

- Spill-resistant keyboard, ShockSensor, magnesium lid and extra-long battery runtime
- Optional 0-Watt AC Adapter guarantees that the notebook does not consume electricity when switched off

Highest flexibility

Configure the system according to your personal preferences.

■ Modular bay for DVD drive, second battery, second HDD or the world's first Bay Projector, optional embedded 3G/UMTS or 4G/LTE, SSD drive



























Components

	(2.5.5H) (2.5.1H)		
Processor	Intel® Core™ i5-3320M processor (2.6 GHz, up to 3.3 GHz, 3 MB)		
	Intel® Core™ i7-3687U processor (2.1 GHz, up to 3.3 GHz, 4 MB)		
	Intel® Core™ i5-3340M processor (2.7 GHz, up to 3.4 GHz, 3 MB)		
	*Processor only for retail, SMB, education and government		
	Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes		
	Intel® Core™ Processor with Intel® Small Business Advantage - Smart Platform for Unmanaged Small Business		
Operating systems			
Operating system	Windows 8 Pro 64-bit		
	Windows 8 64-bit		
	Windows® 7 Professional 64-bit		
	Windows® 7 Home Premium 64-bit		
	Windows® 7 Home Basic (EM) 64-bit		
Operating system compatible	Windows® XP 32-bit		
	Windows® 7 32-bit		
Operating system notes	Windows 8 32-bit Limited Windows® XP support. Microsoft discontinued Windows® XP certification on system level, basic drivers via		
operating system notes	http://support.ts.fujitsu.com		
Memory modules	2 GB (1 module(s) 2 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM		
	4 GB (1 module(s) 4 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM		
	8 GB (1 module(s) 8 GB) DDR3, 1600 MHz, PC3-12800, SO DIMM		
Base unit memory	LIFEBOOK P772 EC glossy black LIFEBOOK P772 SC glossy black LIFEBOOK P772 SC matt		
Supported capacity RAM (max.)	16 GB		
Memory slots total	2		
Memory slot type	DIMM (DDR3)		
Memory notes	DDR3 - 1600 MHz		
Hard disk drives (internal)	SSD SATA III FDE, 128 GB, 2.5-inch		
	SSD SATA III, 256 GB, 2.5-inch		
	SSD SATA III, 128 GB, 2.5-inch		
	SATA, 7200 rpm, 500 GB, 2.5-inch, S.M.A.R.T.		
	SATA, 7200 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
	SATA, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
	FDE, 5400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
Hard disk notes	ShockSensor for HDD shock protection		
	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.		
	Accessible capacity may vary, also depending on used software.		
	Up to 20 GB of HDD space is reserved for system recovery		
	Internal HDD interface: S-ATA III (6GBit/s)		
WLAN (optional)	Intel® Centrino® 6205 802.11 a/b/g/n		
	Intel® Centrino® Wireless-N2200 b/g/n		
Wireless technologies			
Antennas	2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional, 1 Bluetooth antenna optional		
WLAN notes	Import and usage according to country-specific regulations.		
3G/4G (optional)	Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s)		
	LTE Sierra Wireless MC7710 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)		
Bluetooth (optional)	Bluetooth 4.0		

Page 2 / 8 www.fujitsu.com/fts/mobile

Madular hay options	and hattany				
Modular bay options	2nd battery 2nd hard disk drive (S-ATA II)				
	Bay Projector				
	Blu-ray Disc™ Triple Writer DVD Super Multi				
	Base unit	LIFEBOOK P772 EC glossy black	LIFEBOOK P772 SC o	olossy black	LIFEBOOK P772 SC matt
General system information					
Chipset	Intel® QM77				
Thipset notes	supports iAMT 8.0, Intel® vPro™ requires Core i5-33xx / i7-35xx processor, Intel W-LAN 6205 & TPM module				
BIOS features	BIOS based on Phoenix SecureCore				
Color	Black	Black		Black	
Material	Glossy	Glossy		Matt	
	,	,			
Display Display pates	ISO 02/1 207 Birel alass II				
Display notes	ISO 9241-307 - Pixel class II				
Graphics					
FFT resolution (DisplayPort)	up to 2560 x 1600				
FT resolution (VGA)	up to 1920 x 1200				
FFT resolution (DVI on Port Replicator)	up to 1920 x 1200				
FFT resolution (DisplayPort on Port	up to 2560 x 1600				
Replicator) Graphics brand name	Intel® HD Graphics 4000 with 3rd gene	ration (oro i process	nrc .		
Graphics features	3 Display Support with 3rd generation (JI2		
siapines reactives			oort with port rep	licator)	
Graphics notes	(1x internal display, 1x Displayport with system, 1x Displayport with port replicator) Shared memory depending on main memory size and operating system				
video memory total	256MB with Win XP; up to 1535MB with Win7 32bit; up to 1696MB with Win7 64bit MB				
nterfaces					
		/C h- C/CD\			
	1 (SD up to 2GB, SDHC up to 32GB, SDX	(C UD (O 646B)	1 (SD up to 2GB.	SDHC up to 32GB. SDXC up to 64GB)	
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDX	(C up to 64uB)	1 (SD up to 2GB,	SDHC up to 32GB, SDXC up to 64GB)	
Memory card slots ExpressCard slots	1 (SD up to 2GB, SDHC up to 32GB, SDX 1 (34 mm and 54 mm supported)	(C UP to 64UB)	1 (SD up to 2GB,	SDHC up to 32GB, SDXC up to 64GB)	
Memory card slots ExpressCard slots EmartCard slot	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE)		1 1 (usable only w	ith 3G/UMTS, 4G/LTE)	
Memory card slots ExpressCard slots GmartCard slot GIM card slot USB 3.0 total	1 (34 mm and 54 mm supported)		1 1 (usable only w		
Memory card slots ExpressCard slots SmartCard slot SIM card slot JSB 3.0 total JSB 2.0 total	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function		1 1 (usable only w	ith 3G/UMTS, 4G/LTE)	
Memory card slots ExpressCard slots SmartCard slot SIM card slot JSB 3.0 total JSB 2.0 total	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function 1	nality)	1 1 (usable only w 2 (1 with Anytim 1	ith 3G/UMTS, 4G/LTE)	
Memory card slots ExpressCard slots EmartCard slot SIM card slot USB 3.0 total USB 2.0 total UGA DisplayPort	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function	nality)	1 1 (usable only w	ith 3G/UMTS, 4G/LTE)	
Memory card slots ExpressCard slots EmartCard slot SIM card slot USB 3.0 total USB 2.0 total UGA DisplayPort Ethernet (RJ-45)	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function 1 1 1 (V1.1a) 1	nality)	1 1 (usable only w 2 (1 with Anytim 1	ith 3G/UMTS, 4G/LTE)	
Memory card slots ExpressCard slots EmartCard slot SIM card slot USB 3.0 total USB 2.0 total UGA DisplayPort Ethernet (RJ-45) DC-in	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function 1	nality)	1 1 (usable only w 2 (1 with Anytim 1	ith 3G/UMTS, 4G/LTE)	
Memory card slots ExpressCard slots EmartCard slot EMM card slot USB 3.0 total USB 2.0 total	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function 1 1 1 (V1.1a) 1	nality)	1 1 (usable only w 2 (1 with Anytim 1	ith 3G/UMTS, 4G/LTE)	
Memory card slots ExpressCard slots EmartCard slot USB 3.0 total USB 2.0 total	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function 1 1 1 (V1.1a) 1 1 1 1 (digital)	nality)	1 1 (usable only w 2 (1 with Anytim 1 1 (V1.1a) 1	ith 3G/UMTS, 4G/LTE)	
Memory card slots ExpressCard slots EmartCard slot SIM card slot USB 3.0 total USB 2.0	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function 1 1 1 (V1.1a) 1 1 1 1 (digital) 1	nality)	1 (usable only w 2 (1 with Anytim 1) (V1.1a) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ith 3G/UMTS, 4G/LTE)	
Memory card slots ExpressCard slots EmartCard slot SIM card slot USB 3.0 total USB 2.0	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function 1 1 1 (V1.1a) 1 1 1 1 (digital)	nality)	1 (usable only w 2 (1 with Anytim 1) (V1.1a) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ith 3G/UMTS, 4G/LTE)	
Memory card slots ExpressCard slots EmartCard slot SIM card slot JSB 3.0 total JSB 2.0 total JSB 2.0 total JSB 2.0 total Audio: line-in / microphone Audio: line-out / headphone Internal microphones Docking connector for Port Replicator Kensington Lock support	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function 1 1 1 (V1.1a) 1 1 1 1 (digital) 1	nality)	1 (usable only w 2 (1 with Anytim 1) (V1.1a) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ith 3G/UMTS, 4G/LTE)	
Alemory card slots ExpressCard slots EmartCard slot EMM card slot	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function 1 1 1 (V1.1a) 1 1 1 1 (digital) 1	nality)	1 (usable only w 2 (1 with Anytim 1) (V1.1a) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ith 3G/UMTS, 4G/LTE)	
Memory card slots ExpressCard slots EmartCard slot USB 3.0 total USB 2.0	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function 1 1 (V1.1a) 1 1 1 (digital) 1	nality)	1 (usable only w 2 (1 with Anytim 1) (V1.1a) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ith 3G/UMTS, 4G/LTE)	
Memory card slots ExpressCard slots EmartCard slot SIM card slot JSB 3.0 total JSB 2.0	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function 1 1 (V1.1a) 1 1 1 (digital) 1	nality)	1 (usable only w 2 (1 with Anytim 1) (V1.1a) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ith 3G/UMTS, 4G/LTE)	
Memory card slots ExpressCard slots EmartCard slot SIM card slot USB 3.0 total USB 2.0	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function 1 1 (V1.1a) 1 1 (digital) 1 1 Built-in 10/100/1000 MBit/s Intel® 825 Spill-resistant keyboard (new layout)	nality)	1 (usable only w 2 (1 with Anytim 1 1 (V1.1a) 1 1 1 (digital) 1 1 1 (digital) 1	ith 3G/UMTS, 4G/LTE) e USB Charge functionality)	
Memory card slots ExpressCard slots EmartCard slot SIM card slot USB 3.0 total USB 2.0	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function 1 1 (V1.1a) 1 1 (digital) 1 Built-in 10/100/1000 MBit/s Intel® 825 Spill-resistant keyboard (new layout) Number of keyboard keys: 83, Keyboard	nality) 79 LM d pitch: 18 mm, Keyb	1 (usable only w 2 (1 with Anytim 1 1 1 (V1.1a) 1 1 1 (digital) 1 1 coard stroke: 2.0	ith 3G/UMTS, 4G/LTE) e USB Charge functionality) mm	
Memory card slots ExpressCard slots SmartCard slot SIM card slot USB 3.0 total USB 2.0 total USB 2.0 total VGA DisplayPort Ethernet (RJ-45) DC-in Audio: line-in / microphone Audio: line-out / headphone Internal microphones Docking connector for Port Replicator Kensington Lock support Wired communication LAN Keyboard and pointing devices	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function 1 1 (V1.1a) 1 1 (digital) 1 1 Built-in 10/100/1000 MBit/s Intel® 825 Spill-resistant keyboard (new layout)	nality) 79 LM d pitch: 18 mm, Keyb	1 (usable only w 2 (1 with Anytim 1 1 1 (V1.1a) 1 1 1 (digital) 1 1 coard stroke: 2.0	ith 3G/UMTS, 4G/LTE) e USB Charge functionality) mm	
Memory card slots ExpressCard slots EmartCard slot SIM card slot JSB 3.0 total JSB 2.0	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function 1 1 (V1.1a) 1 1 (digital) 1 1 Built-in 10/100/1000 MBit/s Intel® 825 Spill-resistant keyboard (new layout) Number of keyboard keys: 83, Keyboard Multi-gesture touchpad with two mous	nality) 79 LM d pitch: 18 mm, Keyb	1 (usable only w 2 (1 with Anytim 1 1 1 (V1.1a) 1 1 1 (digital) 1 1 coard stroke: 2.0	ith 3G/UMTS, 4G/LTE) e USB Charge functionality) mm	
Memory card slots ExpressCard slots EmartCard slot SIM card slot USB 3.0 total USB 2.0 total UGA DisplayPort Ethernet (RJ-45) DC-in Audio: line-in / microphone Audio: line-out / headphone Internal microphones Docking connector for Port Replicator Kensington Lock support Wired communication LAN	1 (34 mm and 54 mm supported) 1 (usable only with 3G/UMTS, 4G/LTE) 2 (1 with Anytime USB Charge function 1 1 (V1.1a) 1 1 (digital) 1 1 Built-in 10/100/1000 MBit/s Intel® 825 Spill-resistant keyboard (new layout) Number of keyboard keys: 83, Keyboard Multi-gesture touchpad with two mous Optional: Fingerprint sensor	nality) 79 LM d pitch: 18 mm, Keyb	1 (usable only w 2 (1 with Anytim 1 1 1 (V1.1a) 1 1 1 (digital) 1 1 coard stroke: 2.0	ith 3G/UMTS, 4G/LTE) e USB Charge functionality) mm	

Page 3 / 8 www.fujitsu.com/fts/mobile

Multimedia					
Audio codec	Realtek ALC269				
Audio features	Stereo speakers, 1x built-in microphone				
Camera	Optional: Built-in webcam, Full HD (2.073 megapixel) (Microsoft® Lync™)				
Power supply					
AC Adapter	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, Slim and light AC-Adapter,	0.180 kg, 133x30x30 mm			
	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard AC-Adapter, 0.250 kg, 108x46x30 mm				
	19 V / 100 W (5.27 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter, 0.250 kg, 148x56x32 mm				
	19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, Standard Adapter, 0.340 kg, 140x56x29 mm				
	19 V / 80 W (4.22 A), 100 V - 240 V, 50 Hz - 60 Hz, 0-Watt AC Adapter technolo	ogy, 0.340 kg, 140x56x28 mm			
Notes	65 W AC Adapter for usage with system/ 80 W AC Adapter for usage with Port	65W AC Adapter for usage with system			
	Replicator	/ 80W AC Adapter for usage with Port Replicator			
1st battery options	Li-Ion battery 6-cell, 6700 mAh, 72 Wh Li-Ion battery 6-cell, 5600 or 5800 mAh, 63 Wh				
2nd battery (optional)	Li-Ion battery 6-cell, 2600 mAh, 28 Wh				
Runtime 1st battery	Up to 13 h				
Runtime 1st + 2nd battery	Up to 18 h				
Battery charging time Battery notes	~120 min (63 Wh) ~ 190 min (72 Wh) Battery runtime information is based on worldwide acknowledged BAPCO Mo	hilo Mark 2007 Basehmark Irondare			
battery notes	mode e.g. surfing the internet, writing E-mails, viewing documents) which procomparisons between manufacturers. It does not guarantee any specific batter and may vary depending on product model, configuration, application and procapacity slightly decreases with every charging cycle and over the lifetime.	ovides results that enable direct product ery runtime which actually can be lower			
Related Processors for power					
consumption					
Link to Energy White Paper	http://docs.ts.fujitsu.com/dl.aspx?id=2dfbbe00-f7e9-40af-92b3-3709e448b5	da			
Dimensions / Weight / Environmental					
Dimensions (W x D x H)	282 x 215 x 31 mm				
Weight	1.45 kg				
Weight notes	Incl. weight saver. Weight may vary depending on actual configuration.				
Operating ambient temperature	5 - 35 °C				
Operating relative humidity	20 - 85 %				
Additional Software					
Additional software (preinstalled)	Adobe® Reader®				
	Application Panel				
	Display Manager				
	ShockSensor Utility				
	Power Saving Utility				
	Plugfree Network				
	EasyGuide online user documentation				
	Nero Essentials S (burning software)				
	Norton Internet Security (incl. Firewall) 60 days version				
	Win8: Microsoft Push Button Recovery (Hard Disk Based Recovery)				
	Microsoft Office - buy license to activate the pre-installed Microsoft Office				
Additional software (aptional)	Win7: Fujitsu Recovery (Hard Disk Based Recovery) Drivers & Utilities DVD (DUDVD)				
Additional software (optional)	UMTS connection manager (optional with UMTS)				
Managoahility	SS connection monager (optional man omis)				
Manageability Manageability technology	Nackl Indata Driver management				
Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code				
	Wake up from S5 (off mode)				
	Make up from 55 (off friede) Intel® vPro™ technology				
	WoL (Wake on LAN)				
	iAMT 8.0 (depending on CPU)				
	with 6.0 (acpending on cr 0)				

Page 4 / 8 www.fujitsu.com/fts/mobile

Manageability				
Manageability software	DeskView Client			
manageasine, solemate	DeskView Instant BIOS Management			
	DeskView Integration for Symantec Management Platform			
DeskView components	Inventory Management			
beskview components	BIOS Management			
	Driver Management			
	Security Management			
	Alarm Management			
Supported standards	WMI			
	PXE			
	BootP (made4you)			
Manageability link	http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.html			
Security				
Physical Security	Kensington Lock support			
System and BIOS Security	Advanced Theft Protection (Intel® Anti Theft & Computrace®)			
system and bios security	Optional: Trusted platform module (TPM 1.2)			
	Norton Internet Security (incl. Firewall) 60 days version			
Hear Cocusins	Hard disk password Hard disk password			
User Security	User and supervisor BIOS password			
	Integrated fingerprint sensor including. User and supervisor BIOS password			
	OmniPass software (optional) Integrated fingerprint sensor including OmniPass software (optional)			
Compliance				
Europe	CB			
	CE			
	Nordic Swan in progress			
Global	RoHS (Restriction of hazardous substances)			
	WEEE (Waste electrical and electronic equipment)			
	Microsoft Operating Systems (HCT / HCL entry / WHQL)			
	WiFi certified			
	ENERGY STAR® 5.0			
Compliance notes	EPEAT® Gold (dedicated regions) (planned) Above mentioned compliances are planned but not available at preliminary stage.			
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates			
Compnance mik	nttp://giobaisp.ts.rujitsu.com/sites/certificates			
Port Replicator interfaces (optional)				
DC-in	1 (19V)			
Power on switch	1			
USB 2.0 total	4			
DisplayPort	1 (up to 2560 x 1600) (not usable in parallel with DVI) In case both are connected DisplayPort has higher proirity.			
VGA	1			
DVI	1 (up to 1920 x 1200) (not usable in parallel with DisplayPort)			
Ethernet (RJ-45)	1 (10/100/1000)			
eSATA				
Notes	Port replicator supports 0-Watt functionality. Display port is shared with DVI - exclusive usage			
Warranty				
Standard Warranty	2 years			
Service level	Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depending			
	on local regulations)			
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty			
Maintenance and Support Services				
	9x5, Response Time: Next Business Day			
Recommended Service	9x3, Response time. Next business day			
Recommended Service Spare Parts availability	5 years after end of product life			

Page 5 / 8 www.fujitsu.com/fts/mobile

Recommended Accessories

Port Replicator



Flexibility, expandability, desktop replacement and investment protection are just a few benefits of Fujitsu docking options. It takes just a second to attach your notebook to the Port Replicator and get connected to your external display, keyboard and mouse. Your workplace is simple and tidy while you are instantly ready to work with your notebook.

Order Code: S26391-F977-L100

LIFEBOOK Bundle (Port Replicator, AC Adapter, EU Cable Kit)



The combination of a Fujitsu Port Replicator and AC Adapter (with EU cable) Order Code: is the perfect docking solution for your LIFEBOOK. Simplify your mobile life. S26391-F977-L200 In the office or at home it takes just a second to attach your notebook to the port replicator and get connected to your peripherals.

AC Adapter LIFEBOOK



Power your notebook at work, at home or on the road with a second power source. You can easily recharge your notebook everywhere. Depending on your notebook you can choose from various AC Adapters ranging from a slim stick type adapter to standard adapters, or even the innovative 0-Watt AC Adapter.

Order Code: S26391-F886-L200

Second Battery for Modular Bay



Modern business demands that busy professionals be ready to meet customers, make presentations, and work wherever is necessary to get the S26391-F1124-L500 job done. With a Second Battery for your Fujitsu LIFEBOOK you will be more flexible than ever. Installation is effortless. Just slide the Second Battery into your Fujitsu LIFEBOOK's modular bay.

Order Code:

PocketSaver



The Fujitsu Kensington PocketSaver with its pocketable design and 1200mm retractable steel cable is the perfect anti-theft solution for when you are on the go. The patented T-bar lock mechanism and the tempered steel cable provide maximum security. The Fujitsu Kensington PocketSaver keeps your device protected wherever you roam.

Order Code: S26391-F6045-L100

Privacy filter



Privacy filters help block the screen view from anyone viewing the computer Order Code: from a side view. 3M's unique microlouver privacy technology allows persons directly in front of the computer to see on-screen data clearly. 3M

S26391-F6097-L312

Supreme Case Midi 13



The Supreme Case Midi 13 protects notebooks with up to 13 inch screens. A padded notebook compartment with shock-absorbing foam ensures your notebook is well protected. A further pocket is provided for storage of power adaptors and office supplies. With its leather finish and professional design, it is ideal as a functional business case.

offers the broadest line of computer filters available.

Order Code: S26391-F119-L750

Fujitsu Bay Projector



The innovative Fujitsu Bay Projector is the first projector which can be inserted in the modular bay of a notebook. The patented projector offers mobility and convenience in the office as well as at home. The Bay Projector converts your notebook into a fully-mobile office, giving you the flexibility you demand.

Order Code: S26391-F974-L600

Page 6 / 8 www.fujitsu.com/fts/mobile

Mobile Bluetooth **Communication Speaker**



The Fujitsu Mobile Bluetooth Communication Speaker is the perfect audio accessory for your connected mobile life. It is smaller than a tennis ball so you can bring it everywhere and it can connect via Bluetooth so you don't have to worry about cords. An integrated microphone gives you on-the-fly conference call capabilities for all your Bluetooth enabled mobile devices.

Order Code: S26391-F7128-L700

HS S2000NC Headset



The HS S2000NC Headset offers more than current headsets. Besides superb Order Code: sound quality, the headset provides an impressive feature: a button to switch off noise and disburden your ears of unwanted noise level. Thanks to a special technology based on wave inversion this headset reduces unwanted noise by up to 70 % for a quieter audio experience. The sponge cushion specially made by BioProtein ensures optimum comfort for

S26391-F7139-L3

Wireless Keyboard Set LX900



The Wireless Keyboard LX900 is a top of the line desktop solution for lifestyle orientated customers, who want only the best for their desk. This superb keyboard set with offers ambitious users more functions, security and better features than a conventional interface device. It even includes 2.4 GHz technology and 128 AES encryption for security.

long hours travelling by rail or air.

S26381-K564-L4** (**: Country specific variation)

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu LIFEBOOK P772, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK P772, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.

www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www.fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2013-06-06 CE-EN All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/terms

Copyright © Fujitsu Technology Solutions